


EXPOLINC FABRIC SYSTEM



High Performance Display Systems




Watch the full movie at www.expolinc.com/products/fabric-system/





Image size
3300x2400 mm
7.9 m²



2 pcs Poles
6 pcs inner curved profiles
1 pc Soft bag
1 pc Soft Image Counter
1 pc Brochure Stand
Spotlights







2 pcs Poles
6 pcs outside curved profiles
1 pc Standard Case XL
1 pc topshelf
Spotlights

Image size
3300x2750 mm
9.1 m²





3300 mm

Image size
6800x2750 mm
18.7 m²


3 pcs Poles
10 pcs straight profiles
2 pcs 90 degree profiles
1 pc Standard Case XL
1 pc Brochure Stand
1 pc Stand Up Info
Spotlights





5 pcs Poles
12 pcs straight profiles
4 pcs 90 degree profiles
2 pcs Standard Case XL
2 pcs topshelf
Spotlights

Image size
9200x2750 mm
25.3 m²






Image size
4400x2500 mm
11.0 m²

3 pcs Poles
4 pcs inner curved profiles
4 pcs outside curved profiles
1 pc Standard Case XL
1 pc topshelf
Spotlights






- 3 pcs Poles**
- 8 pcs inner curved profiles**
- 4 pcs straight profiles**
- 2 pcs Standard Case XL**
- 2 pcs topshelf**
- 2 pcs Roll Up Compact**
- Spotlights**

Image size
 6600x2750 mm
 18.2 m²





Image size
9900x2750 mm
27.2 m²





4 pcs Poles
18 pcs straight profiles
2 pcs Standard Case XL
2 pcs topshelf
2 pcs Pole System
Spotlights



All complete in one box!
 Standard Case XL holds up to 3 poles and 90° curved profiles. The case can easily be converted into a podium.



The topshelf is available in silver or white.



The soft bag is designed for 2 poles, profiles and a graphic of up to 14 sqm. The steel bases are carried separately in a dedicated bag.



System well protected in robust bags.



Best in Class LED available. 15W and impressive 1200 Lumen.




Straight profile 1100 mm.
 Can easily be cut into desired length.




Curved profile 15° 1100 mm.
 Graphic on inner radius 4,2 m.



Curved profile 15° 1100 mm.
 Graphic on outer radius 4,2 m.



90° inner curve 1300 mm.
 Graphic on inner radius 0,7 m.
 Fits in the Standard Case XL.



For more information, please visit expolinc.com